

teleskopy.pl



Dipol D212 PRO is a valued night vision binoculars with good optoelectronic parameters and a solid construction. One of the favorite night vision binoculars among the hunters. D212SL night vision binoculars with 3.5x magnification are one of the best-selling models of I + generation night vision glasses on our market. It has been recognized by customers who demand high quality performance and image generated by two independent optoelectronic transducers. The housing is made of light aluminum alloys, rubberized for a better grip and the ergonomic, compact shape makes the night observation a pleasure. It has a built-in infrared illuminator effective for close distances (up to 100 meters in total darkness) and the ability to attach an additional strong laser backlight, so that the distance of observation in total darkness grows up to 600m! Designed for hunters who value assurance during shooting under night hunting conditions, as well as the Forest Guard, Fisherman's Guard, Police, Municipal Guards and security companies. Optionally, the night vision can be equipped with a powerful laser illuminator that greatly increases the range of the device (up to 600 meters) Technical parameters

- Generation: 1+
- IR illuminator: built-in, diode (also available laser light)
- Control: analog
- Zoom: 3.5x
- Lens diameter: 50 mm
- Resolution: 40 lines / mm
- Detection range: 300 m
- Range recognition: 150 m (detection of wild boar at moonlight)
- Field of view: 12 °
- Focal length of the lens: F = 80 mm
- Lighted: F / 1.6
- Focus range (Diopter): +/- 4
- Adjustment range of the eye track: 59 - 70 mm
- Focus range: from 5 m to infinity
- Power supply: 1 x AA ("finger") (included)
- Temperature range: from -40 to + 40 ° C
- Working time without changing the power source: up to 120 hours (without IR, 20 ° C)
- Dimensions: 190 x 122 x 58 mm
- Weight: 870 g

Usage forestry hunting sailing nature fishing Additional information DURABLE AND LIGHTWEIGHT ALUMINUM ALLOY BODY PROVIDES HIGH STRUCTURE RESISTANCE, AND THE ADDITIONAL GUM COVER MAKES THAT THE LIGHTBOOK IS CLEARLY IN HANDS COMFORTABLE LOCKED CONTROL BUTTONS ALLOW THE FAST ON AND OFF THE BICYCLE AND THE BUILT-IN BATHLIGHT DIODES ON THE CASE, INDICATE CURRENT DEVICE MODE (ON / OFF, IR LED ON / OFF) THE PARTITION LOCATED ON THE BODY IS LIGHTED IN THE CASE OF EXCEEDING THE LIMIT LIGHT, CHRONIC SO THE ELECTRONIC FROM THE NECTAR BEFORE DAMAGE A BUILT-IN LED DISTRIBUTION ENABLES CONDUCTING OBSERVATIONS EVEN IN FULL DARK CONDITIONS; ILLUMINATOR HAS A REGULATION OF KTA VISKA CENTER ON THE BIKE BOX ADJUSTMENTS A RAIL FOR FIXING AN OPTIONAL LASER LIGHT IS FINISHED Warranty 12 months for the transducer, 24 months for the elements Additional photos >> FREQUENTLY ASKED QUESTIONS << Question : What is the difference

between the 1 and 2 generation night vision devices? I want to buy a night vision device, but I would like to learn more about night vision technology. Answer: Basic information can be found in the HOW TO OPERATE THE NECTOR (click to read)